

BuildingName
The Description of the Project
P00000000 0000

DOCUMENTS

Title Page
Table of Contents
Instruction to Bidders
Form of Proposal
Equal Opportunity Statement
Form of Guarantee
Supplemental General Conditions

SPECIFICATION DIVISION 9

NUMBER SECTION DESCRIPTION

DIVISION 09 FINISHES

SECTION 09950 - WALL COVERINGS

END OF CONTENTS TABLE

DIVISION 09 FINISHES
SECTION 09950 - WALL COVERINGS

THIS MASTER SPECIFICATION COVERS A LIMITED SELECTION OF WALL COVERINGS AND IS PRESENTED AS A GENERAL GUIDE. USUALLY CHOOSE WALL COVERINGS IN CONJUNCTION WITH AN INTERIOR DESIGN CONSULTANT.

PART 1 - GENERAL

1.1 SUMMARY

- A. Extent of wall covering work is indicated on Drawings.
- B. Types of wall covering include the following:
 - 1. Fabric.
 - 2. Vinyl.

1.2 SUBMITTALS

INCLUDE BELOW IF ARCHITECT WILL SELECT COLOR AND PATTERN AFTER AWARD OF CONTRACT.

- A. Samples for Selection: Submit sample swatches of manufacturer's full range of standard colors and patterns for Architect's selection.

INCLUDE BELOW IF VERIFICATION SAMPLES ARE DESIRED.

- B. Samples for Verification: Submit two 12-inch by 12-inch samples of proposed wall covering which bear product name, designation and lot number for verification purposes. Approved samples will be retained for comparison with actually installed material.

INCLUDE BELOW IF STATE FIRE MARSHAL WILL REVIEW PROJECT.

- C. Affidavits of Compliance: For each type of wall treatment not bearing the label of a testing agency approved by the State of Michigan Fire Marshal, provide manufacturer's letter of certification showing compliance with requirements of 1985 NFPA 101 "Life Safety Code" Section 26-3.3 for Class A, B, or C as required by the Code.

PART 2 - PRODUCTS

2.1 FABRIC WALL COVERING

- A. Manufacturer/Style: Provide fabric wall covering manufactured by Surface Materials.
 - 1. Style: "Belgian Classics."
 - 2. Pattern: BL-690 (off-white woven linen).

2.2 VINYL WALL COVERING

- A. Manufacturer/Style: Provide vinyl wall covering manufactured by Carnegie.
 - 1. Style: "Xorel."
 - 2. Pattern: Nexus 6425.
 - 3. Color: W09/66.

2.3 ACCESSORIES

- A. Furnish adhesive and all other products necessary for complete installation. Adhesive to be as recommended by wall covering manufacturer.

PART 3 - EXECUTION

3.1 PREPARATION

- A. Inspect surfaces to be covered with wall covering. Sand and vacuum to produce smooth surfaces that will not telegraph surface irregularities. Correct imperfections.

3.2 INSTALLATION

- A. Apply wall covering in vertical strips that extend from ceiling to floor in a single piece (no horizontal joints). At corners, butt panels of fabric wall covering within 2-inches of corner, lap panels of vinyl wall covering within 2-inches of corner.
- B. Install wall covering in complete accordance with mfr's recommendations. Very slightly lap adjacent pieces of wall covering as necessary to conceal wall behind when adhesive dries and wall covering is at its smallest (during low humidity).
 - 1. Immediately after applying each panel of wall covering, inspect it for adhesive stains on front of panel. Quickly remove stains. Remove stains on other adjacent finish materials.

END OF SECTION 09950